



*Satwik Mediequip Global*

  
**Stericare®**



## Introduction

*An international as well as domestic Trading firm dedicated to provide you a wide range of superior quality healthcare products at an affordable price. With manufacturers based in countries like South Korea, Taiwan and Japan, we make sure that the products are developed using advanced technology. We have a wide network of reputed customers across India as well as overseas. We believe in complete customer satisfaction and building business relations that last for generations.*

## Vision

*To expand the reach of the Indian healthcare industry overseas and to deliver healthcare products manufactured using advanced technology that meet international quality norms and customer requirements.*

## Mission

*To meet the vital medical needs of the Indian masses by providing affordable healthcare that meets international safety standards. We care for you and that's why we leave no stone unturned in providing you the best*

## Quality Policy

*We at SATWIK MEDIEQUIP GLOBAL are committed to provide Medical & Surgical Devices at reasonable prices, which consistently meet statutory as well as customer requirements. We aim to achieve these goals with the help of the following*

- *Long-standing experience in the field of healthcare product manufacturing and quality assurance*
- *Wide global network of manufacturers having state of the art facilities, with proven track*
- *record of consistency in quality.*
- *Putting customer feedback at the top priority for further improving quality.*

*We also have to ensure Customer satisfaction through Quality regulation, Cost effective processes and punctuality in Delivery with continual improvement activities.*

## HYPODERMIC CANNULA FOR NEEDLE ASSEMBLY



### Features

- made of high quality austenitic stainless steel
- large diameter,
- quick flow,
- sharp needle tip,
- clean surface
- make painless injection
- customers' sizes are available
- OD Size: 16G, 18G, 19G, 20G, 21G, 22G, 23G, 24G, 25G, 26G, 27G
- Length Size: ½", 5/8", 1", 1.25" 1.5",

## LATEX EXAMINATION GLOVES PRE-POWDERED



### Compliance Standard:

- ASTM D3578-99
- AS 4011-1997
- AS 4011-1997

### Features

- Pre-Powdered Examination Gloves are made from selected high quality natural latex.
- Maximum sensitivity,
- Flexibility and elasticity,
- Designed for superior protection,
- fit and feel,
- The glove's smooth finish provides tactile-sensitivity,
- Passes the base standards as laid down under ASTM D-3578 and EN Standards,
- The gloves are manufactured to the highest level of quality standards,
- The gloves are lightly powdered with USP grade edible cornstarch for easy donning,
- The gloves are also biodegradable,
- Ambidextrous with a beaded cuff, which guards against tearing,

## SURGICAL STERILE LATEX GLOVES



### Compliance Standard:

- US ASTM D3577-1991
- EN 455 Part 1/2/3 Standard Specification for Rubber Surgical Gloves
- AQL: 1.5/2.5

### Product description:

- Size: 6.5" / 7" / 7.5" / 8" / 8.5" Shape Left Right Hand
- Material: 100% pure natural high quality Latex
- Style: Textured Surface; Beaded Cuff
- Color: Milky White typically
- Powder Residue: Max 10mg/dm<sup>2</sup>

### Sterilization:

- Sterilized by Ethylene oxide;

### Application:

- Healthcare; Surgical Room and Medical Room

### Key Feature:

- Soft, Comfortable,
- Naturally fits with Dexterity and hand sensitivity
- Textured Surface,
- Beaded cuff;
- Enable better grip and donning easy
- Low level proteins/chemical residue
- Assure low rates of allergic reactions
- Anti-Aging Leak resistance
- Superior elasticity & tensile strength for Tear resistance

### Single Use Only:

- To help prevent contamination between caregivers and patients

## HOT WATER BOTTLE



### Features

- Available in 2.0 Ltrs and 1.5 ltrs volume.
- Rubber Hot Water Bottle are available in ribbed on both sides.
- Made of natural rubber, which is eco-friendly material.
- Quickly and easily keep you warm.
- Alleviate your aches and pains.
- Integrally moulded with jointless neck and plugs with high-quality rubber preventing leakages.

### Specifications:

- Weight: 2L-around 420g, 1.5L-around 340g
- Dimensions: 2L-L32.4 X W19.5cm, 1.5L-L28.5 X W16.5cm
- Guarantee: 2 Years

## INFUSION SET WITH (NON VENT)



### Features

- Sharp and easy piercing non vented / Vented spike
- Bacteria retention air inlet with snap on cap
- Flow regulator integrated into IV infusion set for precise flow control
- Strong ABS roller & Clamp for Controlling of Flow rate & closing the flow
- For gravity feed only
- Flexible & Transparent drip chamber for easier monitoring of Flow rate.
- Soft and kink resistant PVC tubing ensures uniform flow rate
- Standard tube length: 1500 mm
- Tube dia : I Ø 3.0 mm, O Ø 4.1 mm.

### Options Available:

- With or without Air Vent
- With or without needle
- Ribbon Pouch or HM Pouch

## INFUSION SET WITH (AIR VENT)



### Features

- Sharp and easy piercing non vented / Vented spike
- Bacteria retention air inlet with snap on cap
- Flow regulator integrated into IV infusion set for precise flow control
- Strong ABS roller & Clamp for Controlling of Flow rate & closing the flow
- For gravity feed only
- Flexible & Transparent drip chamber for easier monitoring of Flow rate.
- Soft and kink resistant PVC tubing ensures uniform flow rate
- Standard tube length: 1500 mm
- Tube dia : I Ø 3.0 mm, O Ø 4.1 mm

### Options Available:

- With or without Air Vent
- With or without needle
- Ribbon Pouch or HM Pouch



## MEASURED VOLUME FLUID ADMINISTRATION SET



### Features

- Cylindrical, calibrated, Transparent & soft measured volume chamber with sharp marking scale
- Bacteria retentive air inlet eliminate the possibility of air borne contamination
- Injection port for intermittent medication
- Automatic shut off valve prevents air trapping in the fluid line once the measured volume chamber is empty, and it also indicates the level of liquid
- 15 µm fluid filter reduces particulate matter
- Approximately 60 drops/ml
- Soft and kink free PVC tubing
- Standard tube length : 1500 mm
- Tube dia : I Ø 3.0 mm. & O Ø 4.1 mm
- Available in size: 100 ml & 150 ml
- Options available:
- With or without needle
- Luer lock or luer slip or rotating Luer Lock
- Self sealing "Y" injection port (latex or latex free) designed for leakage free multiple injections
- Moulded latex flush bulb for intermittent medication
- Needle free "Y"-Site
- Air vented or non vented spike
- Plastic pack or blister paper pack

## URINE COLLECTION BAG WITH NRV



### Features

- For short and long term urine collection
- Capacity: 2000 ml
- Available with molded handle for easy handling
- Soft and kink free PVC tubing
- With non-return valve
- Graduated in ml to indicate the quantity of urine collected
- Conical inlet connector with cap
- Tube length: 90 & 100 cm
- Available sterile or non sterile

## URINE COLLECTION BAG WITH TOP OUTLET



### Features

- For short and long term urine collection
- Capacity: 2000 ml
- Available with specially molded handle for easy handling
- Soft and kink free PVC tubing
- With non-return valve
- Graduated in ml to indicate the quantity of urine collected
- Conical inlet connector with cap
- Tube length: 90 & 100 cm
- Available sterile or non sterile

## URINE COLLECTION BAG WITH BOTTOM OUTLET



### Features

- For short and long term urine collection
- Capacity: 2000 ml
- Reinforced hole for hanging
- Soft and kink free PVC tubing
- With non-return valve
- Graduated in ml to indicate the quantity of urine collected
- Conical inlet connector with cap
- Tube length: 90 & 100 cm
- Available sterile or non sterile

## SILICONE FOLEY CATHETER



### Features

- 2-way and 3-way for Pediatric & Adult
- Made of Silicone elastomer bonded with latex rubber, which can be retained in body for longer duration
- Symmetrical balloon expands in all directions so as to perform its function safety and efficiently
- Smooth connector between shaft and cavity
- Maximum soft.
- fitness and biocompatibility to enhance the patient's comfort
- Color-coded for easy identification of size

#### *Adult With 1.8 M Tubing*

Code	Size
GSFC0605	6
GSFC0805	8
GSFC01005	10

#### *Adult With 1.8 M Tubing*

Code	Size
GSFC12	12
GSFC14	14
GSFC16	16
GSFC18	18
GSFC20	20
GSFC22	22
GSFC24	24
GSFC26	26

## VACUUM BLOOD COLLECTION TUBES



Material: glass or PET

- types: 6 types are available

<i>Items</i>	<i>Top</i>	<i>Specimen</i>	<i>Additive</i>	<i>Draw Volume</i>
Plain Tube	Red	Serum	None	3ml, 4ml, 5ml
EDTA Tube	Purple	Whole blood	EDTA K2/K3	3ml, 4ml, 5ml
Heparin Tube	Green	Plasma	Sodium/Lithium Heparin	1ml, 2ml, 3ml, 4ml
ESR Tube	Black	Whole blood	Sodium citrate(1:4)	1ml, 2ml, 3ml, 4ml
PT Tube	Blue	Plasma	Sodium citrate(1:9)	1.8ml, 2.7ml, 3.6ml
Serum Tube	Orange	Serum	Gel & Clot Activator	1.6ml, 2ml, 2.4ml
GNT50C	5	GNT95C	9.5	9.5
GNT55C	<u>5.5</u>	GNT100C	10	10
GNT60C	<u>6</u>	GNT105C	10.5	10.5

## BLOOD PRESSURE METER – UP ARM



	<i>Features</i>	
<i>Model</i>	<i>BP-103H</i>	<i>BP-1319</i>
Type	Up-Arm Type	Up-Arm Type
Measurement Method	Oscillometric Method	Oscillometric Method
<b>Measurement Range</b>		
Pressuer	0 to 300mmHg	0 to 300mmHg
Pulse	30 to 180 Beat/Minute	30 to 180 Beat/Minute
<b>Measurement Range</b>		
Pressuer	±3mmHg	±3mmHg
Pulse	±5%	±5%
Pressurization	Automatic Pressurization	Automatic Pressurization
LCD Size	55.1×84.1mm	68.9×102mm
Memory Bank (Users)	4X30	2X60
Low Battery Detection	Yes	Yes
Automatic Power-off	Yes	Yes
Power Source	4 Alkaline Bateriaes Size AA or AC Adapter	4 Alkaline Bateriaes Size AA or AC Adapter
Unit Weight		??
Unit Dimensions	15.5cmX11.0cmX7.0cm	16.6cmX11.4cmX7.2cm
Included Cuff Size	Medium cuff	Medium cuff
<b>Opration Environment</b>		
Temperature	15-40°C	15-40°C
Humidity	≤85%	≤85%
Pressure	Atmospheric Pressure	Atmospheric Pressure

## BLOOD PRESSURE METER – WRIST TYPE



	<i>Features</i>	
<i>Model</i>	<i>BP-103H</i>	<i>BP-1319</i>
Type	Up-Arm Type	Up-Arm Type
Measurement Method	Oscillometric Method	Oscillometric Method
<b>Measurement Range</b>		
Pressuer	0 to 300mmHg	0 to 300mmHg
Pulse	30 to 180 Beat/Minute	30 to 180 Beat/Minute
<b>Measurement Range</b>		
Pressuer	±3mmHg	±3mmHg
Pulse	±5%	±5%
Pressurization	Automatic Pressurization	Automatic Pressurization
LCD Size	49x38mm	49x38mm
Memory Bank (Users)	2X60	2X60
Irregular Heatbeat Detection	Yes	Yes
Low Battery Detection	Yes	Yes
Automatic Power-off	Yes	Yes
Power Source	2 Alkaline Baterries Size AAA	2 Alkaline Baterries Size AAA
Unit Weight	??	
Unit Dimensions	7.7cmX6.4cmX3.2cm	7.7cmX6.4cmX3.2cm
Included Cuff Size	13.5 to 21.5cm	13.5 to 21.5cm
<b>Opration Environment</b>		
Temperature	15-30°C	15-30°C
Humidity	≤85%	≤85%
Pressure	Atmospheric Pressure	Atmospheric Pressure

## DIGITAL THERMOMETER RIGID TIP



### Features

- Quick, highly accurate reading over the body temperature range.
- Easy to read with LCD display.
- Equipped with beep alarm
- Memory function.
- Flexible tips,
- Suitable to children and adult use in home and in hospital.

### Technical data:

- Range: 32°C-42.9°C (90.0°F-109.9°F);
- Accuracy:  $\pm 0.2$  °F 95.9°F -107.6°F
- Environment: At standard room temperature
- Display: Liquid crystal display
- Battery: One 1.55V button size battery
- Alarm: Approx. 10 seconds sound signal when peak temperate
- Product size: 12.5x1.0x1.8cm;



## DIGITAL THERMOMETER FLEXIBLE TIP



### Features

- Quick, highly accurate reading over the body temperature range.
- Easy to read with LCD display.
- Equipped with beep alarm
- Memory function.
- Flexible tips,
- Suitable to children and adult use in home and in hospital.

### Technical data:

- Range: 32°C-42.9°C (90.0°F-109.9°F);
- Accuracy:  $\pm 0.2$  °F 95.9°F -107.6°F
- Environment: At standard room temperature
- Display: Liquid crystal display
- Battery: One 1.55V button size battery
- Alarm: Approx. 10 seconds sound signal when peak temperate

## COMPRESSOR NEBULIZER



### Flip top lid compressor Nebulizer

#### Features

- One button operation
- Easy carry handle
- Ideal for all ages
- One storage compartments
- Latex free
- Easy to clean and lightweight
- Complete nebulizer kit included Adult mask+ cup 6CC + mouthpiece + PVC tube + 5pcs filters
- Different color available : Blue /Green /Pink /Yellow
- CE0120 certificated

#### Specifications & Technical Datas:

- Power: 230 V AC /50HZ or 120V AC /60HZ
- Current:0.70 or 1.5A
- Max capacity of medicine cup: 6ml
- Particle size: 0.5 to 10um
- Average Nebulizer rate: ≥0.33 ml/min
- MMAD:4.0~6.0um
- Noise: ≤ 60dBA
- Unit size: 270 x 200 x 110 MM
- Unit weight: 2.0 KG
- Suggested applications : hospital , clinical, nursing home, homecare

## NEBULIZER MASK



### Features

- Specially designed nebulizer chamber with nebulization rate of approximately 3cc in 10 minutes
- Average particle size generation is approximately 2 microns
- Complete kit consists of: Nebulizer Mask, Nebulizer Chamber, and 210 cm Star Lumen Tube
- Elongated facemask for long term use
- Clear and soft mask for patient comfort
- Adjustable elastic strip and integrated nose clip for proper positioning of mask
- 210 cm long star lumen tubing to ensure continuous flow of oxygen
- Proximal end of tube is connected with funnel shape connector for easy connection with oxygen source
- Sizes: Adult and pediatric

## BLOOD GLUCOSE MONITORING SYSTEM




### Features

- Only 1 ul blood sample require
- Extra Large LCD display
- 360 memory with date and time
- Alarm reminder
- Average of last – 7-,14-, 28- day
- Readings-Automatic shut –off

### Complete Monitoring System include

- 1 Meter with one 3.0v CR2032,
- 10 test strips,
- 10 lancets,
- 1 lancing device,
- 1 control solution,
- 1 storage case ,
- 1 User Manual English,
- 1 owner's booklet,
- 1 logbook

## DUAL HEAD STETHOSCOPE



### Description:

- deluxe dual head stethoscope
- item : KS-2037A
- packing : common neutral packed and PVC
- chestpiece: aluminium alloy the largest share plating matt
- binaural: stainless steel or aluminium alloy
- Tube:Y- tubing
- diaphragm SMG design

## SAFETY BLOOD COLLECTION NEEDLE



### Features

#### Safe and user friendly:

- Multi-sample drawing needles reduce the chances of contamination and eliminate contact of Paramedical staff with blood sample.

#### Leak proof needle:

- On removing the needle from blood Collection Tube, Needle is closed off with rubber shield..

#### Smooth & sharp needle:

- Pain less during vein penetration

#### Thin walled needle

- Help in smooth flow of blood.
- Size: 20G, 21G and 22G

## NEEDLE HOLDER FOR USE WITH SAFETY BLOOD COLLECTION NEEDLES



### Features

- Needle Holder is used with multi-sample blood collection needles with Vacuum blood collection tubes
- Needle Holder reduces needle stick injuries when needle shield is fully slid forward and activated.
- Full extension of the needle shield completely covering the needle
- Ensure safety & comfort for paramedical staff & patient
- Ensures a safe needle insertion & its release
- Compatible with all Type of Vacuum blood collection tubes

## GUEDEL AIRWAY



### Features

- Rounded atraumatic edges
- Smooth airway path for easy cleaning
- Bite block to prevent biting of tongue and airway occlusion
- Sterile product for single use
- Colour coded for easy identification of sizes


### Size

- 9 different sizes for all kinds of patients

#### **Adult With 1.8 M Tubing**

Size	Color	Length	Packing
000	Voilet	40 mm	25 pcs.
000	Blue	50 mm	25 pcs.
0	Black	60 mm	25 pcs.
1	White	70 mm	25 pcs.
2	green	80 mm	25 pcs.
3	Orange	90 mm	25 pcs.
4	Red	100 mm	25 pcs.
5	Yellow	110 mm	25 pcs.

## HIGH PRESSURE EXTENSION LINE



### Features

- Small bore high pressure extension line suitable for high pressure monitoring
- Kink resistant PVC tubing resistant to breakage and damage
- For pressures up to 55 bar (800 psi)
- sharp needle tip,
- Capacity : 1.0 ml per 100 cm
- Tube dia : I Ø 1.5 mm. & O Ø 3.0 mm

## LOW PRESSURE EXTENSION LINE



### Features

- Extension line suitable for low pressure applications
- For pressures up to 4.5 bar (60 psi)
- Also available with “Y” injection port (latex or latex free) for intermittent medication
- Tube dia : I Ø 3.0 mm. & O Ø 4.1 mm
- Available with or without clamp
- Readings-Automatic shut –off

## UMBILICAL CORD CLAMPS



### Features

- Good for clamping the umbilical cord after birth
- Security lock is provided to avoid an accidental opening after application
- Ribbed clamping surface to prevent any slipping of the umbilical cord
- Available in white colour

## REPIROMETER BREATHING EXERCISER



### Features

- Helps patient to recover the normal respiration after a chest or abdominal surgery. Also helps to develop, improve and maintain respiratory fitness
- Encourages deep and prolonged Inspiration
- Minimum Compliances
- Three chamber design allows patient to lift the balls without any resistance to achieve the maximum volume in minimum
- Time Transparent, well calibrated chambers with colour coded triple balls allows visual calibration and estimation of the patient's progress
- Air filter for enhanced protection
- Soft, aesthetically coloured inspiratory tubing with accommodative groove when not in use
- It incorporates a container to place the mouthpiece after being washed which has a lower overture to drain the spared cleaning water drops and maintains hygiene
- Medical grade flawless sealing
- Sleek and stable design



## 100% SILICONE LARYNGEAL MASK AIRWAY



### Features

- 100% silicone
- Disposable
- Soft silicon tube made by Dow Corning material to prevent tube bending
- Smooth transation
- Silicon cuff for smooth insertion
- Balloon different color

### Size

- 7 different sizes for all kinds of patients

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GLM1004A	1	0-5	4
GLM1507A	1.5	5-10	7
GLM2010A	2	10-20	10
GLM2514A	2.5	20-30	14
GLM3020A	3	30-50	20
GLM4030A	4	50-70	30
GLM5040A	5	70-100	40
GNT55C	5.5	GNT100C	10

## DISPOSABLE REINFORCED LARYNGEAL MASK AIRWAY



### Features

- Flexible silicon tube made by Dow Corning
- smooth transation
- Silicon cuff for smooth insertion
- Balloon different color

### Size

- 7 different sizes for all kinds of patients

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GLM1004R	1	0-5	4
GLM1507R	1.5	5-10	7
GLM2010R	2	10-20	10
GLM2514R	2.5	20-30	14
GLM3020R	3	30-50	20
GLM4030R	4	50-70	30
GLM5040R	5	70-100	40

## REUSABLE (SILICONE) LARYNGEAL MASK AIRWAY



### Features

- Soft silicon tube made by Dow Corning material to prevent tube bending
- Smooth transation
- Silicon cuff for smooth insertion
- Balloon different color
- Balloon different color

### Size

- 7 different sizes for all kinds of patients

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GLM1004B	1	0-5	4
GLM1507B	1.5	5-10	7
GLM2010B	2	10-20	10
GLM2514B	2.5	20-30	14
GLM3020B	3	30-50	20
GLM4030B	4	50-70	30
GLM5040B	5	70-100	40

## 100% PVC LARYNGEAL MASK AIRWAY



### Features

- Soft PVC tube prevent tube bending
- smooth transation
- Soft cuff for smooth insertion
- Balloon different color

### Size

- 7 different sizes for all kinds of patients

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GLM100P	1	0-5	4
GLM1507P	1.5	5-10	7
GLM2010P	2	10-20	10
GLM2514P	2.5	20-30	14
GLM3020P	3	30-50	20
GLM4030P	4	50-70	30
GLM5040P	5	70-100	40

## REINFORCED ENDOTRACHEAL TUBE WITH CUFF



### Features

- Made from Non-toxic medical PVC material
- Reinforced tube body is soft and much safety for patient
- Radio opaque line through the length for x-ray visualization
- High volume cuff low pressure
- Murphy eye
- There are thin metal & oblate metal inside ETT.

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GET20PR	2	GET65PR	6.5
GET25PR	2.5	GET70PR	7
GET30PR	3	GET75PR	7.5
GET35PR	3.5	GET80PR	8
GET40PR	4	GET85PR	8.5
GET45PR	4.5	GET90PR	9
GET50PR	5	GET95PR	9.5
GET55PR	5.5	GET100PR	10
GET60PR	6	GET105PR	10.5

## ENDOTRACHEAL TUBE WITH CUFF



### Features

- Made from Non-toxic medical PVC material
- Transparent soft and smooth
- Radio opaque line through the length for x-ray visualization
- High volume cuff low pressure
- Murphy eye
- There are thin metal & oblate metal inside ETT.

Product Number	ETT Size(#)	Product Number	ETT Size(#)
GET20C	2	GET65C	6.5
GET25C	2.5	GET70C	7
GET30C	3	GET75C	7.5
GET35C	3.5	GET80C	8
GET40C	4	GET85C	8.5
GET45C	4.5	GET90C	9
GET50C	5	GET95C	9.5
GET55C	5.5	GET100C	10
GET60C	6	GET105C	10.5

## REINFORCED ETT WITHOUT CUFF



### Features

- Made from Non-toxic medical PVC material
- Reinforced tube body is soft and much safety for patient
- Radio opaque line through the length for x-ray visualization
- Murphy eye
- Smallest reinforced tube from 2.0 to 10.5 cuffed
- There are thin metal & oblate metal inside ETT.

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GNT20S	2	GNT65S	6.5
GNT25S	2.5	GNT70S	7
GNT30S	3	GNT75S	7.5
GNT35S	3.5	GNT80S	8
GNT40S	4	GNT85S	8.5
GNT45S	4.5	GNT90S	9
GNT50S	5	GNT95S	9.5
GNT55S	5.5	GNT100S	10
GNT60S	6	GNT105S	10.5

## ENDOTRACHEAL TUBE WITHOUT CUFF



### Features

- Made from Non-toxic medical PVC material
- Transparent soft and smooth
- Radio opaque line through the length for x-ray visualization
- High volume cuff low pressure
- Murphy eye
- There are thin metal & oblate metal inside ETT.

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GET20P	2	GET65P	6.5
GET25P	2.5	GET70P	7
GET30P	3	GET75P	7.5
GET35P	3.5	GET80P	8
GET40P	4	GET85P	8.5
GET45P	4.5	GET90P	9
GET50P	5	GET95P	9.5
GET55P	5.5	GET100P	10
GET60P	6	GET105P	10.5



## NASAL PREFORMED TUBE WITH CUFF



### Features

- Made from Non-toxic Medical PVC material
- Transparent soft and smooth
- Radio opaque line
- High volume cuff low pressure
- Murphy eye
- Disposable
- Latex free

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GNT20C	2	GNT65C	6.5
GNT25C	2.5	GNT70C	7
GNT30C	3	GNT75C	7.5
GNT35C	3.5	GNT80C	8
GNT40C	4	GNT85C	8.5
GNT40C	4.5	GNT90C	9
GNT50C	5	GNT95C	9.5
GNT55C	5.5	GNT100C	10
GNT60C	6	GNT105C	10.5

## ORAL PREFORMED ENDOTRACHEAL TUBE WITH CUFF



### Features

- Made from Non-toxic Medical PVC material
- Transparent soft and smooth
- Radio opaque line
- High volume cuff low pressure
- Murphy eye
- Disposable
- Latex free

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GNT20p	2	GNT65p	6.5
GNT25p	2.5	GNT70p	7
GNT30p	3	GNT75p	7.5
GNT35p	3.5	GNT80p	8
GNT40p	4	GNT85p	8.5
GNT45p	4.5	GNT90p	9
GNT50p	5	GNT95p	9.5
GNT55p	5.5	GNT100p	10
GNT60p	6	GNT105p	10.5

## REINFORCED ETT WITH SUCTION LUMEN



### Features


- Made from Non-toxic Medical PVC material
- Reinforced tube with suction port
- Radio opaque line
- High volume cuff low pressure
- Murphy eye
- Disposable

### Size

- 6 different sizes for all kinds of patients

<i>Latex free Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GNT40S	4	GNT70S	7
GNT45S	4.5	GNT75S	7.5
GNT50S	5	GNT80S	8
GNT55S	5.5	GNT85S	8.5
GNT60S	6	GNT90S	9
GNT65S	6.5	GNT95S	9.5

## STANDARD (REGULAR) ETT WITH SUCTION LUMEN



### Features

- Made from Non-toxic Medical PVC material
- Reinforced tube with suction port
- Radio opaque line
- High volume cuff low pressure
- Murphy eye
- Disposable

<i>Latex free Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GNT40R	4	GNT70R	7
GNT45R	4.5	GNT75R	7.5
GNT50R	5	GNT80R	8
GNT55R	5.5	GNT85R	8.5
GNT60R	6	GNT90R	9
GNT65R	6.5	GNT95R	9.5

## TRACHEOSTOMY TUBE WITHOUT CUFF



### Features

- Made from Non-toxic Medical PVC material
- Transparent soft and smooth
- Radio opaque line
- High volume cuff low pressure
- Murphy eye
- Disposable
- Latex free

### Size

- 9 different sizes for all kinds of patients

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GNT20C	2	GNT65C	6.5
GNT25C	2.5	GNT70C	7
GNT30C	3	GNT70C	7.5
GNT35C	3.5	GNT70C	8
GNT40C	4	GNT70C	8.5
GNT40C	4.5	GNT70C	9
GNT50C	5	GNT70C	9.5
GNT55C	5.5	GNT70C	10
GNT60C	6	GNT70C	10.5

## TRACHEOSTOMY TUBE WITH CUFF



### Features

- Made from Non-toxic Medical PVC material
- Transparent soft and smooth
- Radio opaque line
- High volume cuff low pressure
- Murphy eye
- Disposable
- Latex free

<i>Product Number</i>	<i>ETT Size(#)</i>	<i>Product Number</i>	<i>ETT Size(#)</i>
GNT20C	2	GNT65C	6.5
GNT25C	2.5	GNT70C	7
GNT30C	3	GNT70C	7.5
GNT35C	3.5	GNT70C	8
GNT40C	4	GNT70C	8.5
GNT40C	4.5	GNT70C	9
GNT50C	5	GNT70C	9.5
GNT55C	5.5	GNT70C	10
GNT60C	6	GNT70C	10.5

## *Company Profile*

*SATWIK MEDIEQUIP GLOBAL was founded in August, 2013, with a vision of providing highest quality health care products at the most affordable prices. SMG is operating its network from an industrial town in Haryana, Faridabad which is well connected by Road via the NH-8 and by Rail. It is located in Delhi NCR.*

*The company has collaborations with Indian & overseas manufacturers having a research driven and dedicated team of professionals applying advanced technologies to the development of high quality Health Care Products. SMG is an importer and exporter firm in the field of Health Care Products, all our associate companies have developed quality management system as per ISO 9001-2000 and EN 46001 Standards.*

*The Company follows the Principles of Total Quality Management, thus all SMG Brand products undergo rigorous physical, chemical and Biological inspections, to meet the customer's requirements as well as standard regulatory requirements. We at SMG ensure customer satisfaction through Cost, Quality, Delivery and unbeatable services.*

*SATWIK MEDIEQUIP GLOBAL is committed to provide products developed using Latest Technology at affordable prices. Our foundation is based on the motto Vision beyond horizons and we are committed to serving mankind by providing them the most vital of all services i.e. healthcare.*

### *Contact Us*

#### *Satwik Mediequip Global*

Reg. Office: 03, 2nd Floor, E-34, Nehru Ground,  
N.I.T. Faridabad-121001 Haryana India

Email: [smpbiotop@gmail.com](mailto:smpbiotop@gmail.com), [rakeshwalia@outlook.com](mailto:rakeshwalia@outlook.com)

Ph: +91-129-4020966, Mob: +91-9999982636, +91-9654575450

[www.smglifecare.com](http://www.smglifecare.com)